Receiving Report

Da	te: $12/\sigma/3$	_	Batch	No: M	<u>1216</u> 2 835	6
Su	pplier: THYS	enh	Dart F	P/O: 16	835	_
Packing Slip: Invoice: Receipt:	Yes No No Cr Cr	W Sh Qu	elease Note A aybill Attache nipment Comp C6 Inspection fork Order	d: Ye olete: Ye		N/A N/A N/A
Discrepancies Part	1.	Quantity	Quantity	Quantity	Quantity	Comments
Number	Description	Ordered	Received	Returned	Short	
			· .		<u> </u>	2
						2-/
	:	Initials	s of receiver	(if shipment	OK) Level	12
Production/Ad Date Received/Cos Initial	sting				Loca	tion
H:\FORMS\Puro	hasing\approved purch\REG	CREPORT Rev	ע /			

## **Purchase Order Receipt Listing**

Thursday, May 03, 2012 8:48:10 AM

All amounts are calculated in domestic currency.

All Vendors PO ID PO16839 Receipt Dates from 5/3/2012 to 5/3/2012 All Line Item Types All Item ID/GL/WOs All Rec. Employees All Currencies Grouped by Vendor ID

			3 No		No	2		CAD No	PO16839 1	VendorID\Vendor Name	Purchase Line Order ID/ Nbr/ Curr Type Insp Req
			0		0						ne Project ID br/ sp
*		121626	M304S18GA 304/316 .050 Sheet	121626	304/316 Sheet .063	M304S16GA	121626	6061-T6 BAR 2.00' X 8.00"	M6061T6B2.000X08. f	VC-COP001 Thy	D Reference/ Description/ Cert Std
			sf set sf		)63 sf	sf		00' f	X08. f	Thyssenkrupp Materials CA Ltd	PO U/M / Stock U/M
			4/30/2012 128.0000		192.0000	4/30/2012		12.0000	4/30/2012		Required Date Required Oty
			5/3/2012 DESJ02		DESJ02	5/3/2012		DESJ02	5/3/2012	•	Recv Date/ Recv Emp
			128.0000			192.0000			12.0000		Recv Qty (PO U/M)
Ħ	Tota	٠	\$3.66 \$468.24		\$827.68	\$4.31		\$400.32	\$33.36	) ) )	Cost Per Unit/ Recv Value
Total Receipt Value: Total Balance Due Quantity:	Total Qty to Inspect (PO U/M): Total Reject Quantity:	Total Received Quantity:	0.0000		0.0000	0.0000		0.0000	0.0000		Rejected Qty/ Rejected Qty (PO U/M)
pt Value: Quantity:	O U/M): Quantity:	Quantity:			٠				_		MRB Qty/ MRB Reject Qty
\$1,696.25 0.0000	0.0000	332.0000	0	6/60/74	J	0 \$827.68		)	. 4700:52	¢/00 33	Book Amt

OFLADING BILL

Ship From: THYSSENKRUPP MATERIALS NA 2821 LANGSTAFF ROAD CONCORD, ONTARIO L4K 5C6 Tel: 905 669 9444 Fax: 9057389033

Ship To: (1) DART AEROSPACE 1270 ABERDEEN ST HAWKESBURY, ON K6A 1K7

Tel: 613-632-9577 Fax: 613-632-1053

No: PEC 765066 Ship Date 01May12 at 12:17 From PFW Probill VIM TRANSFER Via CONCORD FOB PREPAID Frt Route 0- 0 Manifest Trailer Vhcle Slp STAN IVERS (905-532-1350) Sold To: ( 20115) DART AEROSPACE 1270 ABERDEEN ST

HAWKESBURY, ON K6A 1K7

\_\_\_\_\_\_

Tags

BILL OF LADING 1) Our Order PEC-445275- 1 Your PO # 16839 ALUMINUM FLAT BAR 6061-T6511 2.00" X 8.00" X 144.0000" Quantity Tag No Heat Number Z00052019 62108 2) Our Order PEC-445275- 2 Your PO # 16839 STAINLESS STEEL SHEET 304-2B .0600 Nom X 48.0000" X 96.0000" Quanti 192.00 Si Wt LBS Tag No Heat Number 300212 62264 3) Our Order PEC-445275- 3 Your PO # 16839 STAINLESS STEEL SHEET 304-2B .0480 Nom X 48.0000" X 96.0000" Heat Number Tag No 62265 0502414 LBS

TOTAL:

Heat Number 300212 Z00052019

\*\*\* Chemical Analysis \*\*\*

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT MATERIAL AND FAXED TO THE CUSTOMER PRIOR TO SHIPPING.

1 ....Continued

11

963

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÉTRE RAPPORTÉES IMMÉDIATEMENT. ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT. MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION

B I L L O F
Ship From:
THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 9057389033

PEC 765066 No: LADING Ship Date 01May12 at 12:17 From PFW Probill VIM TRANSFER Via CONCORD FOB PREPAID Frt 0- 0 Manifest Route Trailer Vhcle STAN IVERS (905-532-1350) Slp Sold To: (20115) DART AEROSPACE

Ship To: ( 1)
DART AEROSPACE

BILL OF LADING
ATTN: CHANTAL/LINDA
\*\* ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER \*\*

\*\* REFERENCED ON IT \*\*

TOTAL 1 BDL, 1 SKID G.W 1018 LBS

Page: 2 .... Last

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE RAPPORTÉES IMMÉDIATEMENT. ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT. MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

### YSSENKRUPP MATERIALS NA

**Certificate of Mill Test Results** 

BL PEC-765066-001

Pg 1/1

DART AEROSPACE

ALUMINUM FLAT BAR 6061-T6511 2.00" X 8.00" X 144.0000" PART NO.

PO/Rel 16839

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

K	4	12	5	E	R
Δ	11	IN	7 I I	$\mathbf{V}LI$	M

FABRICATED PRODUCTS

### **CERTIFIED TEST REPORT**

Signed by:

http://Online.KaiserAluminum.com

KAISER ALUMINUM FABRICATED PRODUCTS, LLC 5205 KAISER DRIVE

JOSTOMERT D HOME			R PART NUMBER:	PRODUCT DESCRIPTION:					
PEC-235081-6		ALREC	00124	2.000 X 8.000 PR	2.000 X 8.000 PRECISION WIDE BAR				
KAISER ORDER NUMBI	R: LINE ITEM:	1	SHIP DATE:	KAISER LOT NUMBER:	ALLOY:	TEMPER:			
608567	006		12/02/2011	Z00052019	6061	T6511B			
WEIGHT SHIPPED:	QUANTITY:		B/L NUMBER:	DIAM/DAF/THKNS:	WIDTH:	LENGTH:			
1806,000 LB	8.000 PC	s	602021		}	12.000 FT			
SHIP TO:				SOLD TO:					
THYSSENKRUP 2821 LANGSTAF CONCORD, ON	FROAD	1		THYSSENKRUP! 2821 LANGSTAF CONCORD, ON I	F ROAD				

### Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARL	NESS	CONDUCT.	BEND	
200052019	CC01	1	56.3	53.1	14.6	RE	95	N/A	X/A	

### Chemical Composition (wt%), Aluminum Remainder

		•			1	•							
LIMITS	Si	Fe	Cu	Mn	Mg	Cx	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1,20	C.35	0.25	0.15	NA	NV		0.05	
Minimum	0.40	00.0	0.15	0.00	0 80	C.04	0.00	0.00	NA	AN CO.		0.00	
101033	.75	.39	.29	. 59	. 95	.09	.06	.03	.00	.03	.00	.01	.03

Applicable Requirements:

PER ASTM-B221-08, STENCTED ASME-SB221 1998 SECT II PER AMS-QQ-A-200/8 UNS#6061 MEETS ALL SPECIFICATION REQUIREMENTS FOR 6061-T6511/T6 ELEVATED MINIMUM MECHANICAL PROPERTIES AS FOLLOWS: UTS = 42.0 KSI MIN YIELD = 38.0 KSI MIN ELONGATION = 10.0% MIN

### Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA

### CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

Quality & Technology Manager

Plant Serial: 00018745 Kaiser Order Number: 608567

Line 1tem: 006

Page 1 of 1

**Certificate of Mill Test Results** 

DART AEROSPACE

STAINLESS STEEL SHEET 304-2B .0600 Nom X 48.0000" X 96.0000" PART NO.

PO/Rel 16839

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

BL.	PEC-765000-002	liviayiz
Signed by:		Pg 1/1

ThyssenKrupp Stainless USA  1 ThyssenKrupp Drive; P.O. Box 13000; Celvert, AL3						Type of focument / Type de documente / An der Prütbescheinigung  INSPECTION CERTIFICATE  CERTIFICADO DE INSPECCION  ABNAHMEPRÜTZEUGNIS  according to / de acuerde con / nach  EN 10204-3.1					Decement number / 12/21/2011   12/21/2011		
1	Thysten	Krupp Dri	ve; P.O. Bo	× 13000; Ci	ivert, ALJE	513-1300	Cartoni	of Ships to I Chapt	y / Residuality	Milita			
-				<u></u>			Custom	n's arget numbe	e / Nº de Pedido	Cliente / Numb	principles.		
							1	54329 / 004	der no. / Nº de Po	dido Harrafaci	us / Welsov's ager	r	
								1.0	Entropa / Usfore	rusige Hr.			
* 1						Product	1944 / D10 / Proluce / Be BOBINA/BA/						
5TM A24	D/A240h	I, ASME S		III Part A Ed.				304L/304	Acers / Stations	le und Gölegn	th <sub>4</sub>		
	SO/A4BON State of the state state of the state state of the state of t		A-450 Sec.	II Part A Ed.	2010 denociae (Ti ionis (Septor) iro Erzbyriaes	icioruse i Width i Archa i Lorgal Sticlas i Brails i	Langito /			Stephn Process Herphol	ding procedural de resedent l	Felight Acabadal Austrianna	
			. <del></del>	1.42	mm x 1,219 50 inch x 48	.20 mm				AOD		Hic/ 28	
eching-lic./ P de Lavado later-life	<b></b>	He al piece Piezasi Silicizara	"		Actual weight? Proc actual? MX-Saraicht		•	ioli No./ tare No./ land-Nr.	Fleet F Colac Scrymak	s./ W gnat.	Sample id.1 It" de muntre! Proben-id.	Sample ki.f Nº do mutakini Praban-ki.	
013690 013693 013695		1 1		15.	551 lb / 4,78 115 lb / 6,85 207 lb / 6,89	B kg 🗙	7	05972 05314 05906	3001 3000 3000	00	1000019378 1000019383 1000019374	1000019379 1000019384 1000019375	
Outs I Serve	/ Summer	3	<del></del>		73 b / 18,5		<del></del>						
test / Colorin /	Country of Pais de ce Gractionale	finat f	Charical car	sposklos i Com	posicion Guinnia	d Chambache Zu	(matemateria)						
Schinetor	Gradiena	urgelend 	% C	% SI	% Mn	% P	% 8	% Cr	% NI	1 N N	<del>_</del>		
300000	ITA .		0.030	0.45	1.66	0.031	0.0010	18.13 18.04	8.16	0.058	-		
300212	ITA		0.023	0.43	1.71	0.028	0.0010	18.03	8.02	0.085			
Saragia Pro oco le de la raboriaga		TRANSV	ERSE										
inspections to Later the linear Problem	#C09~		BO.2% SI/MPa	,	TS SI/MPa		电 A2" %	2" HRB					
1000019 1000019	374		49 / 292 63 / 259		706 / 653 966 / 641		8.4 0.6	82 82	!	<u> </u>			
1000019 1000019		1 "	79 / 286 144 / 283		515 / 631 950 / 634		9.9 7.8	83					
1000019	383	42,€	39 / 294 104 / 291	92,	966 / 641 675 / 639	6	7.2 5.8	87					
Circarana	surface i D	menelomes S	epolicie / Hall	-Otarischer							OK OK		
No weld No Intent	repairs ional ado		fercury con		re made or o		raung (Spila Mi						
Thys Cesife Cesife	ate is ge ado es g	upp Sta nerated ac enerado a		ISA, LLC	Phor Nam	ndro Cemilo ie:→1 261 82 e of excent/		xperic /	44 /		es of lease and valid rate da emission y valid apart des Assistations 2/21/2011	aion cipción prei Bestalgre	

# THYSSENKRUPP MATERIALS NA

STAINLESS STEEL SHEET 304-2B .0480 Nom X 48.0000" X 96.0000" PART NO. DART AEROSPACE

PO/Rel 16839

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

Signed by:

Certificate of Mill Test Results

BL PEC-765066-003

Pg 1/1 1May12



### ThyssenKrupp Mexinox

TEST REPORT (CERTIFICADO)

CUSTOMER (CLIENTE)

MEXINOX USA

No. FR9818		
REPORT (CERTIFICADO)	~	CODE PART NUMBER
JUN-11-11	,	*
DATE (FECHA)	SE ORDER	CUSTOMER PURCHASE ORDER
No. E0908811 00	1210	No. DE PEDIDO
PACKAGE (EMPAQUE)	4751	MILL ORDER No.

8721 1 PACKAGE (EMPAQUE)

PRODUCTIDENTIFICATION
IDENTIFICACION DEL PRODUCTO

COIL No. No. DE ROLLO 201525 00BA TYPE AND FINISH UNS:530400 48.00 X COLL 1219.20 X ROLLO DIMENSIONES ×× 1,220 GROSS WT. PESO BRUTO 18,010 7,262 PESONE O 15,931 7,226

COMPOSICION QUIMICA (%)

CHEMICAL COMPOSITION

TEM

<del>9</del>8 O

\$8,1000 Q

Ē

NEW New

1:2700 .0530 z 8.0480 0480 Z .0250 V 0010 S .3300 <u>ഗ</u> OTHER ELEMENTS (OTROS ELEMENTOS)

MECHANICAL PROPERTIES
PROPIEDADES MECANICAS

2		
Ē		
	-	Z TEN
	A899891 A899890	No. MUESTRA
	_	D
	93694 psi 646 MPa	TENSILE S. R. TENSION
	45396 psi 313 MPa	YİELD S. R. FLUENCIA
	53.6	ELONGATION %
	(HEAD / TAIL) 82:0 / 83:0	HARDNESS DUREZA HRB

THIS MATERIAL IS DEARS 225.872-1 CLAUSE COMPLIANT. HEAT SOURCE: ITALY
TEST OF INTERGRAMILAR COREGION / PAURAS DE CORPOSION INTERCRAMILAR: OK
THIS MATERIAL COMPLIES WITH CLEMICAL COMPOSITION ACCORDING TO ASTM A 240/A 240M-11a STD. NOW,
THE MECHANICAL AND CHEMICAL PROPERTIES REPABLISED IN THE POLLOWING STDS.:
NECHAN. PROP. ASTM A665-03 ASKE BA240-07, QQ-8-765-D, MIL-S-5059-D, AND IT COMPLIES ALSO WITH

NMS 5513J,

STEVOINGE GRADE 0

HECHO EN MEXICO / MADE IN MEXICO

"THIS MATERIAL IS WHER OF MERCURY CONTAMINATION"

We hereby certify that in recognition of the terms and conditions set forth in the EU Ross Directive -2003/95/3C, we can insure that all of our products and processes fully comply with it .

Certos Balderas Saistzar ELABORATED BY

PRINTED: 13:15:34 JUL-18-11

"CRUATO 40. 39 - 027 - 02 Rev. 2



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

### **PURCHASE ORDER**

### Purchase Order ID PO16839

Purchase Order Date 4/27/12 PO Print Date 4/27/12

Page Number 1 of 2

Order From:

VC-COP001

THYSSENKRUPP MATERIALS CA LTD O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A" TORONTO, ON M5W 5V8

CA

**Contact Name** 

**Vendor Phone** 

905 669 9444

Vendor Fax

905 738 9033

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607 Net 30

Terms Currency CAD

**FOB** 

Destination-Collect

Ship To:

DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

**CANADA** 

Line Nbr	Reference Revision ID Vendor Part Number	Descripti Mfg ID	ion/	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1 M6	5061T6B2.000X08.000	6061-T6 B. 8.00"	AR 2.00' X	4/30/12 Yes	12.00 f	Yours ppd	\$32.9583	\$395.50
ē			Special Inst:	SPEC: QQ-Q-22 OR AMS4117/4 200/8 OR AMS-	61-T6- 511/T62 ALUMINU 25/8 OR AMS-QQ- 128/4115/4116 OR -QQ-A-200/8 OR A 1 OR ASTM B221	A-225/8 LQQ-A-		·
2 M3	304S16GA <b>の</b> む	304/316 S	heet .063	4/30/12 Yes	192.00 sf	Yours ppd	\$4,2589	\$817.70
	* *		Special Inst:	ANNEALED 21 AS MIL-S-5059 AMS 5524 (316	OR AMS 5513 (3	04) OR		
3 M	304S18GA <b>0</b> 20	304/316.0	050 Sheet	4/30/12 Yes	128.00 sf		\$3.6141	\$462.60

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required when applicable

Change Nbr:

Change Date: 4/27/12



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

### **PURCHASE ORDER**

### Purchase Order ID PO16839

Purchase Order Date 4/27/12 PO Print Date 4/27/12

Page Number 2 of 2

Order From:

VC-COP001

THYSSENKRUPP MATERIALS CA LTD O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A" TORONTO, ON M5W 5V8 CA

Contact Name

**Vendor Phone** 

905 669 9444

Vendor Fax

905 738 9033

Vendor Account Nbr

Buver

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms Currency Net 30

CAD

**FOB** 

Destination-Collect

Special Inst:

MATERIAL: AISI 304/316 SS SHEET ANNEALED 2B FINISH AS MIL-S-5059 OR AMS 5513 (304) OR AMS 5524 (316) OR ASTM A240 OR ASME SA240

PO Total:

\$1,675.80

MATERIAL CERTIFICATION REO'D UPON DELIVERY



No substitution or deviation without consent.

Certificate of Conformity or Material Certification required when applicable

Change Nbr:

3

Change Date: 4/27/12